

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAAECSA5TF068061** 1996 345 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAALCPA22F203784 2002 544 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAALCPA81F098814 2001 524 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Page Items listed in the Standards Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAALCPA83F210479 2003 440 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Page Items listed in the Standards Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAALCSA1XF084012 1999 484 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Page Items listed in the Standards Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAB1CMA6CF052219 1997 451 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Page Items listed in the Standards Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7A75F060753 1995 420 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7A7RF055305 1994 80 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park **Livingston Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 6837 2005 635 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Page No NA Page Items listed in the Standards Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correct	ea.											
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may nee													
	County # and County Name	DIAGK GC		., .	21 1 may 11		ct Name						
	34 Park						Gard	diner Pu	blic Sch	nools			
Vehic	cle I.D. # (VIN) - Entire Number		Mode	el \	⁄ear	Licen	se#		Rated C	Capacity	****		
	1042			19	998		477				28		
Chas	sis Make			Ť	Body Mal	е		Bus Type	e: (see ? f	or defini			
	Eroightlings					DI.	ıebird	\square A	□ B [✓ C	\Box D		
Whee	Freightliner el Chair Lift Equipped?	Whe	el Chair L	ift	Equipped?		lebila						
✓ Y			orward				e Facing	ot Applic	ahle				
	of Fuel:				rict Owned		ontractor Owned If co			tractor's	nama	ie.	
		13 00	us. 🔻 L	JISI	not Owned		ontractor Owned in co	nitiacioi ov	viieu, con	liacioi s	Harrie	ъ.	
□G	as 🗹 Diesel 🗌 Other												
						CTION							
	Thia				_		GHWAY PATROL	-1					
	inis	inspect	ion is for: Approv			t semes	ster 2nd semes	ster			Ann	roved	
Page	Items listed in the Standards	Yes		VA	Corr	Page	Items listed in	the Standa	rds	Yes	No	NA	Corr
No.*	for School Buses in Montana		*	**		No.*	for School Bus					**	00
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior					<u> </u>	_
C18	Turn signal lamps - front					C21	Seating					 	4
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle					┼	+
C18	Marker lamps - front					C22	Tools - storage					+	+
C18	Windshield					C24	Windows					+	
C24	Windshield wipers					C13	Warning device						1
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -					<u> </u>	_
C11	Service door					C18	Turn signal lamps - re	ear				 	_
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear					_	+
C20	Interior mirror		 		_	C19	Strobe light - rear ***					┼──	
C6	Speedometer					C17	Identification - rear						+
C2	Brakes					C4	Exhaust system (no l	eaks)				1	
C21	Driver seat belt					C5	Fuel tank	,					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mi	n.)				
C13	Fire extinguisher (5 lbs)						Cleanliness					<u> </u>	_
C13	First aid kit					C22	Stop arm					┼	-
C13	Body fluids kit Defroster					C5	No trailer hitch Required by forest r	ogulation:				┼	+
C6	Heaters				+		Shovel (securely fast	_				+	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					†	1
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
	rst inspection, this bus is:		-				einspection, this bus						
	Approved						Approved						
	Not Approved						Not Approved						
		cting Patrol Officer:											
Badge							e No			Date			
	ture of District Official	_				Date				_			
5 -													
											TR-1	3 Revis	ed 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	Highway Patrol as soon as all defects are corrected.											
Instru	Instructions to OPI from School District:											
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Ple	Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.											
OPI C	County # and County Name					District Name						
						_						
34 Park							diner Public					
Vehicle I.D. # (VIN) - Entire Number Model Year					Licen	se#	Ra	ted Capacity	/ *****			
3232 1993						409			71			
Chas	sis Make				Body Mal	ke	-100	Bus Type: (se	e ? for defin			
								\square A \square B	□с	✓ D		
	GMC	1 100					ebird			V D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped'	?						
☐ Ye	es 🗹 No	□ F	orwar	d Fa	cing	☐ Aisl	e Facing 🗹 N	ot Applicable				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	d C	ontractor Owned If co	ontractor owned,	contractor's	name	is:	
□G			-			_		,				
	as 🗷 Diesei 🗆 Other											
					INSPE	CTION						
					OUT BY	THE HI	GHWAY PATROL					
	This	inspect	ion is fo		1s	t semes	ster 🗹 2nd seme	ster				
	10 10 10 10 10 10	Lv	, ''	roved			I 10 0 1 1 1				roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus		Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					
C18	Head lamps	1				C18	Interior lamps	lou			+	
C10	Color	1				C18	Ceiling - interior					
C18	Turn signal lamps - front					C21	Seating					
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9 Aisle						
C18	Marker lamps - front					C22 Tools - storage						
C18	Windshield					C24 Windows						
C24	Windshield wipers	<u> </u>				C13	Warning device					
C20	Exterior mirrors Battery					C13	Buzzer emergency de Emergency door	oor				
C4	Generator or alternator					C12	Red amber signals -	rear				
C11	Service door					C18	Turn signal lamps - re					
C6	Head lamp indicator					C18	Stop lamps					
C6	Horn					C18	Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					1	Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)		1	1	1
C21	Driver seat belt			-	-	C5 C7	Fuel tank	O" front mi- \		1	+	+
C7 C13	Steering gear Fire extinguisher (5 lbs)	<u> </u>				C/	Tires (2/32" rear - 4/3 Cleanliness	sz iront min.)		-	+	
C13	First aid kit					C22	Stop arm					
C13	Body fluids kit					C5	No trailer hitch					
C11	Defroster	1					Required by forest	regulation:				
C6	Heaters						Shovel (securely fast	ened)				
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				
	umber reference, Standards for School Buses in I									driver.		
Does i	not apply. ***New buses ordered after 08/15/02.**	basec	i on ongli	іаі сар	acity listed	on the m	anulacturers certification	tag tourid inside the	e bus.			
	st inspection, this bus is:						einspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Insped	cting Patrol Officer:					Inspe	cting Patrol Officer:					
Badge	No.	Date				Badge	e No.		Date			
	ture of District Official					Date						
J.g.ia						-410						



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

riigiiw	ay Patrol as soon as all defects are correc	leu.											
Instru	Instructions to OPI from School District:												
	This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Ple	Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.												
OPI C	County # and County Name					Distri	ct Name						,
	34 Park						Gar	diner Pu	blic Sc	hools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ar	Licen		anner i a		Capacity	****		
	, ,				_					. ,			
-	7111			200			558	L D T	((1 - C - '	66		
Chas	sis Make			B	ody Mal	ке		Bus Type	e: (see ?		,		
	Bluebird					Blu	ıebird	\square A	□В	\Box C	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift Ec	quipped?			•					
□ Ye	es 🗹 No		orwar	d Fac	ina	ΔίςΙ	e Facing ☑ N	ot Applic	ahle				
	of Fuel:				t Owned		ontractor Owned If co			otroctor's	nama i	C:	
		15 00	us. 🔻	DISTITU	t Owner	c	ontractor Owned in co	Jilliacioi ov	wileu, coi	illiacioi s	name i	S.	
\Box G	as ☑ Diesel ☐ Other												
					INSPE	CTION							
		TC	BE FII	LLED (GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ster 🗹 2nd seme	ster					
			Appr	oved							Аррі	roved	
Page	Items listed in the Standards	Yes	No	NA **	Corr	Page	Items listed in			Yes	No	NA **	Corr
No.*	for School Buses in Montana					No.*	for School Bus		ana				-
C17	Identification - front Head lamps					C18							+
C10	Color					C18						1	
C18	Turn signal lamps - front					C21 Seating				1			
C18	Turn signal lamps - side (post 1987)					C14 Floor				1			
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front					C22 Tools - storage							
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						-
C20	Exterior mirrors Battery	+				C13	Buzzer emergency de Emergency door	001		+			+
C4	Generator or alternator					C18	Red amber signals -	rear					+
C11	Service door					C18	Turn signal lamps - re						+
C6	Head lamp indicator					C18	Stop lamps	- Cui					+
C6	Horn					C18	Marker lamps - rear						1
C20	Interior mirror					C19	Strobe light - rear ***						1
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mi	n.)				4
C13	Fire extinguisher (5 lbs)					Caa	Cleanliness						-
C13	First aid kit Body fluids kit	1				C22 C5	Stop arm No trailer hitch			+			+
C11	Defroster					03	Required by forest i	requiation:	i				+
C6	Heaters	+					Shovel (securely fast			+			1
C20	Wheelchair forward facing (post 1993)	 					Axe (securely fastene						†
*Page n	umber reference, Standards for School Buses in						required to wear lap/shoul	der belts - cu			driver.		
Does r	not apply. *New buses ordered after 08/15/02.*	****Based	on origir	nal capa	city listed	on the m	anufacturers certification	tag found ins	ide the bu	S.			
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
Not Approved				Not Approved									
Inspecting Patrol Officer:					Inspecting Patrol Officer:								

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

	ay Patrol as soon as all defects are correct		11 20-10-	101, 1	VICA. AII	verlicie	s not approved on ins	i irispeciiori i	nust be rei	пъре	cied by	uie	
Instru	Instructions to OPI from School District:												
	s bus has been sold, retired, or is no longe		ice. Ple	ase de	elete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, OF	PI may ne	eed to re	ead it to make the corr	ection.					
OPI C	County # and County Name					District Name							
0.4 Davids					0	alia an Duda	iia Oalaa	-1-					
Vohio	le I.D. # (VIN) - Entire Number		Mod	del Ye	or	Licen		diner Pub	Rated Cap		, ****		
venic	ie i.D. # (VIIV) - Elitlie Nullibei		IVIO	uei re	aı	Licen	SE #		Kaleu Cap	Jacil	y		
	7112			200	4		557				78		
Chass	sis Make			E	Body Mal	се		Bus Type:	(see ? for	defin	ition)		
	Bluebird					Rlu	ebird	\Box A \Box]в □	С	✓ D		
Whee	Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		icon a						
□ Ye			orward	4 Eac	sina l	Λicl	e Facing ☑ N	ot Applica	hlo				
										-41			
	of Fuel:	IS BI	us: 🗸	DISTRIC	ot Owned		ontractor Owned If co	ontractor owr	ied, contra	Ctors	s name	IS:	
G	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		TC	BE FIL	LED (OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 2nd seme	ster					
		T	Appro		Т-							roved	T -
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			'es	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		ıa				
C18	Head lamps					C18	Interior lamps						
C10	Color					C18 Ceiling - interior							
C18	Turn signal lamps - front					C21 Seating							
C18	Turn signal lamps - side (post 1987)					C14 Floor							
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front Windshield					C22 Tools - storage C24 Windows							
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator				-	C18	Stop lamps				<u> </u>		-
C6 C20	Horn Interior mirror					C18 C19	Marker lamps - rear Strobe light - rear ***				-		-
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				
C13	Fire extinguisher (5 lbs)					000	Cleanliness						
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch						
C11	Defroster					00	Required by forest r	regulation:				 	
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									earby	driver.		
Does r	iot apply. Hew buses didered after 08/15/02.^^	Dase0	ı on ongin	аі сара	iony listed	on the m	anulaciuleis certification i	ay iound insid	e uie bus.				
	st inspection, this bus is:						einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Insped	eting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	Badge No.												
Signa	ure of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highwa	Highway Patrol as soon as all defects are corrected.											
Thi	Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. ☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.											
OPI County # and County Name						Distri	ct Name					
	34 Park					Gardiner Public Schools						
Vehic	e I.D. # (VIN) - Entire Number		Мо	del Yea	ar	License #			Rated Capacity	/ ****		
9195				200	5		temp			84		
Chassis Make Body				ody Ma	ke		Bus Type:	(see ? for defin	ition)			
Bluebird						Bluebird □ A □ B □ C ☑ D						
Whee	l Chair Lift Equipped?	Whe	el Chair	r Lift Eq	uipped'	?						
☐ Ye	es 🗹 No		orwar	d Faci	ing	☐ Aisl	e Facing 🔽 N	lot Applicat	ble			
Туре	of Fuel:	Is Bu	JS: 🗸	District	t Owned	ed Contractor Owned If contractor owned, contractor's name is:						
□G	as 🗹 Diesel 🗌 Other											
		тс	BE FIL	LLED C		CTION THE HI	GHWAY PATROL					
	This	inspect	ion is fo		1s	st semes	ster 2nd seme	ester				
Dana	terms listed in the Oten dende	V		oved	I C =	I Danie	ltama liatad in	the Otemaleud	la	_	roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ned				
C18	Head lamps				C18 Interior lamps							
C10	Color					C18	Ceiling - interior					

	Approved									Approved			
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr		
C17	Identification - front					C34	Belt cutter **** attached						
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle				1		
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency door						
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals - rear						
C11	Service door					C18	Turn signal lamps - rear						
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no leaks)						
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/32" front min.)						
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest regulation:						
C6	Heaters						Shovel (securely fastened)						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastened)						

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. **Does not apply. ***New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:			
Approved		Approved			
Not Approved		Not Approved			
Inspecting Patrol Officer:		Inspecting Patrol Officer:			
Badge No.	Date	Badge No.	Date		
Signature of District Official		Date			



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park Arrowhead Elementary Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAAHCSH0XF089328** 1999 489 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 34 Park Arrowhead Elementary Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BABHC0H34F216978 2004 448 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards Items listed in the Standards No NA Page Yes No NA Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:				
Approved		Approved				
Not Approved		Not Approved				
Inspecting Patrol Officer:		Inspecting Patrol Officer:				
Badge No.	Date	Badge No.	Date			
Signature of District Official		Date				

C22

C5

Fuel tank

Stop arm No trailer hitch

Cleanliness

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened) Axe (securely fastened)

Wheelchair forward facing (post 1993)

Driver seat belt

Fire extinguisher (5 lbs)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Shields Valley Pub Schls** 34 Park Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1FDMJ64N4BVA07056 1981 Bus3 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Ford **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Shield's Valley Busing** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

	ay Patrol as soon as all defects are correct		11 20-10	, 101, 11	non. Ai	i voiliolo	o not approved on mo	t mopeonori mast b	о тетпоре	oted by		
Instru	ctions to OPI from School District:											
	s bus has been sold, retired, or is no longe		rice. Pl	ease de	elete it fr	om OPI	's records.					
Ple	ase make corrections noted below. Don't	black ou	it the er	ror, OF	l may n	eed to re	ead it to make the corr	ection.				
OPI C	County # and County Name					Distri	ct Name					
Vobio	34 Park		Ma	del Ye	or	Licen		elds Valley Pub	Capacity			
venic	le I.D. # (VIN) - Entire Number		IVIC	рает те	ar	Licen	se #	Rated	Capacity	/		
	1FDPB80C9TVA18856			199	6		BUS1			66		
Chas	sis Make			В	ody Mal	ke		Bus Type: (see ?	for defin	ition)		
	Ford					Th	omas	□А□В	✓ C	\Box D		
Whee	Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped?		Ullias					
							- Fi	-4 A				
☐ Ye								ot Applicable				
Type	of Fuel:	Is Bu	JS:	Distric	t Owned	d 🔽 C	ontractor Owned If co	ontractor owned, co	ntractor's	s name i	S:	
□G	as 🗹 Diesel 🗌 Other						Shield's Valle	v Busina				
					INSPE	CTION						
		тс	BE FI	LLED (_		GHWAY PATROL					
	This	inspect	ion is fo	r:	1s	st semes	ster 2nd seme	ster				
			App	roved						App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in		Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus				**	
C17	Identification - front		-			C34	Belt cutter **** attach	ied				
C18 C10	Head lamps Color					C18	Interior lamps Ceiling - interior					
C18	Turn signal lamps - front					C21	Seating					
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device					
C20	Exterior mirrors				1	C13	Buzzer emergency d	oor				
C3 C4	Battery Generator or alternator					C12 C18	Emergency door Red amber signals -	rear				
C11	Service door				1	C18	Turn signal lamps - r					
C6	Head lamp indicator					C18	Stop lamps	<u> </u>				
C6	Horn					C18	Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no	eaks)				
C21	Driver seat belt					C5 C7	Fuel tank Tires (2/32" rear - 4/3	22" front min \				
C7 C13	Steering gear Fire extinguisher (5 lbs)					O1	Cleanliness	o∠ 11011t 11IIII.)				
C13	First aid kit					C22	Stop arm					
C13	Body fluids kit				1	C5	No trailer hitch					
C11	Defroster						Required by forest	regulation:				
C6	Heaters						Shovel (securely fast					
	Wheelchair forward facing (post 1993)						Axe (securely fastene	,		<u> </u>		
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									driver.		
			ong	зара	,							
	st inspection, this bus is:						einspection, this bus	IS:				
	Approved Not Approved						Approved Not Approved					
	• •						• •					
inspec	eting Patrol Officer:					mspec	cting Patrol Officer:					
Badge	No.	Date				Badge	e No		_ Date _			
Signa	ure of District Official					Date						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Hignw	Highway Patrol as soon as all defects are corrected.											
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.											
Please make corrections noted below. Don't black out the error, OPI may ne							ection.					
	County # and County Name	naon out	1110 01101	, or rinay ii		District Name						
	34 Park					Shields Valley Pub Schls						
Vehic	le I.D. # (VIN) - Entire Number		Mode	l Year	Licer	ise #		Rated Capacity	*****			
	1FDPJ74N4GVA23025			1986		BUS9			72			
Chas	sis Make			Body Ma	ke		Bus Type	e: (see ? for defin				
Ford						omas	□ A	□в УС	_ D			
Whee	el Chair Lift Equipped?	Whee	el Chair Li	I ft Equipped		Ollias						
□ Y	_ `		orward			le Facing ✓ N	ot Applic	ablo				
	of Fuel:					contractor Owned If co			nomo	io:		
		Is Bus	s: 🔲 D	strict Owne	a 🗸 C	ontractor Owned if co	ontractor ov	vnea, contractors	name	IS:		
□G	as 🗹 Diesel 🗌 Other					Shield's Valley	/ Busing					
					ECTION							
	This	_				GHWAY PATROL						
	Inis	nspection		_	st semes	ster 2nd seme	ster		۸۵۵	round		
Page	Items listed in the Standards	Yes	Approv No N		Page	Items listed in	the Standa	rds Yes	No	roved NA	Corr	
No.*	for School Buses in Montana	103	**	A COII	No.*	for School Bus			110	**	0011	
C17	Identification - front				C34	Belt cutter **** attach	ed					
C18	Head lamps				C18	Interior lamps						
C10	Color				C18	Ceiling - interior						
C18	Turn signal lamps - front				C21	Seating						
C18	Turn signal lamps - side (post 1987)				C14	Floor						
C18	Red amber signals - front Marker lamps - front				C9	Aisle Tools - storage						
C18	Windshield				C24	Windows					+	
C24	Windshield wipers	+	+		C13	Warning device					+	
C20	Exterior mirrors	1			C13	Buzzer emergency de	oor				1	
C3	Battery				C12	Emergency door					1	
C4	Generator or alternator				C18	Red amber signals -						
C11	Service door				C18	Turn signal lamps - re	ear					
C6	Head lamp indicator				C18	Stop lamps						
C6 C20	Horn				C18 C19	Marker lamps - rear Strobe light - rear ***						
C20	Interior mirror Speedometer				C17	Identification - rear					-	
C2	Brakes	+			C4	Exhaust system (no l	eaks)				+	
C21	Driver seat belt	1			C5	Fuel tank					1	
C7	Steering gear				C7	Tires (2/32" rear - 4/3	32" front mi	n.)				
C13	Fire extinguisher (5 lbs)					Cleanliness						
C13	First aid kit				C22	Stop arm						
C13	Body fluids kit				C5	No trailer hitch					-	
C6	Defroster Heaters	+				Required by forest r Shovel (securely fast					+	
C20	Wheelchair forward facing (post 1993)	+	+		1	Axe (securely fastene	,				+	
*Page n	umber reference, Standards for School Buses in M not apply. ***New buses ordered after 08/15/02.***					required to wear lap/shoul	der belts - cu		driver.			
		Daseu (on onginal	oapaony noiet				ido tilo Dus.				
	rst inspection, this bus is:				On re	einspection, this bus	is:					
	Approved Not Approved					Approved Not Approved						
	not Approved				Inspe	cting Patrol Officer:						
Badge	ture of District Official	Date			Date	e No.		Date				
Jigila	tare of District Official				Date							
									TD.4	3 Ravie	ed 11/04	
									1112	v i 3	11/UT	



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Instructions to OPI from School District:

	uctions to OPI from School District		dan Dina		-1-4- :4 4-	OD!	la nacanda						
_	s bus has been sold, retired, or is no longe ease make corrections noted below. Don't							action					
		DIACK UL	it the end	л, Ог	- i iliay lie								
OPIC	County # and County Name					District Name							
	34 Park					Shields Valley Pub Schls							
Vehic	tle I.D. # (VIN) - Entire Number		Mod	el Ye	ear	Licen	se#		Rated 0	Capacity	/ ****		
	1FDPJ74NXGVA22431			198	36		US11				72		
					Body Mak	e		Bus Type	e: (see ? f	or defin	ition)		
	Ford					The	omas	\square A	□в	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chair I	ift E	quipped?		Jiliao						
☐ Y	es 🗹 No	I□F	orward	Fac	cina [Aisl	e Facing ☑ N	ot Applic	able				
	of Fuel:	Is Bu					ontractor Owned If co			tractor's	name	is:	
□G													
	as 🕨 Diesei 🗆 Other						Shield's Valley	/ Busing					
					_	CTION							
							GHWAY PATROL						
	Ihis	inspect	ion is for:		1s	t semes	ster 2nd seme	ster			A n.n	round	
Page	Items listed in the Standards	Yes	Appro No	vea NA	Corr	Page	Items listed in	the Standa	rds	Yes	No	roved NA	Corr
No.*	for School Buses in Montana			**	00	No.*	for School Bus			100	10	**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior					<u> </u>	
C18	Turn signal lamps - front		1			C21	Seating					-	
C18	Turn signal lamps - side (post 1987) Red amber signals - front		+ +			C14 C9	Floor Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door		-		-	C18	Turn signal lamps - re	ear		<u> </u>			-
C6 C6	Head lamp indicator Horn					C18 C18	Stop lamps Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mi	า.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit Body fluids kit		1			C22 C5	Stop arm No trailer hitch					-	
C13	Defroster Defroster		 			CS	Required by forest r	equiation:				<u> </u>	
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
*Page n	umber reference, Standards for School Buses in Inot apply. ***New buses ordered after 08/15/02.**						equired to wear lap/should	der belts - cu			driver.	•	•
On fi	rst inspection, this bus is:					On re	einspection, this bus	is.					
	Approved						Approved						
H	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	e No.	Date				Badge	e No.			Date			
	ture of District Official					Date	-			-			



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Shields Valley Pub Schls** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBG6P1F2EV137187 1984 BUS4 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C Ward Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Shield's Valley Busing INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

	ay Patrol as soon as all defects are correct		11 20-10-	101, 1	VICA. AI	verlicie	s not approved on his	t inspection must	be remspe	cied by	uie	
Instru	ctions to OPI from School District:											
	s bus has been sold, retired, or is no longe		ice. Ple	ase de	elete it fr	om OPI	's records.					
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, OF	PI may n	eed to re	ead it to make the corr	ection.				
OPI C	OPI County # and County Name				District Name							
24 Pouls						Ob.:	dala Mallace De	.b. O-b.l-				
Vohio	le I.D. # (VIN) - Entire Number		Mod	del Ye	or	Licen		elds Valley Pu	ed Capacity	, ****		
venic	ie i.D. # (VIIV) - Elitlie Nullibei		IVIO	Jei Te	aı	Licen	Se #	Raie	d Capacity	/		
	1GBL7T1C6YJ515839			200	0		BUS6			66		
Chass	sis Make			E	Body Mal	ке		Bus Type: (see	? for defin	ition)		
	Chevrolet					Rlu	ebird	□А □В	✓ C	\Box D		
Whee	Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		lebila					
□ Ye							o Fooing	at Applicable				
		-	orward				<u>-</u>	ot Applicable				
Туре	of Fuel:	Is B	us:	Distric	ct Owned	ı 🗸 C	ontractor Owned If co	ontractor owned, o	contractor's	name	IS:	
\Box G	as 🗹 Diesel 🗌 Other						Shield's Valley	y Busing				
					INSPE	CTION	•	•				
		TC	BE FIL	LED (_		GHWAY PATROL					
	This	inspect	ion is for	:	1s	t semes	ster 🗹 2nd seme	ster				
		-	Appro	oved						Арр	roved	
Page	Items listed in the Standards	Yes	No	NA **	Corr	Page	Items listed in		Yes	No	NA **	Corr
No.*	for School Buses in Montana					No.*	for School Bus			-		+
C17	Identification - front Head lamps					C34 C18	Belt cutter **** attach	lea	_	-		
C10	Color					C18	Ceiling - interior		+	 	 	+
C18	Turn signal lamps - front					C21	Seating					1
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device		_	<u> </u>		-
C20	Exterior mirrors Battery					C13	Buzzer emergency de Emergency door	OOF	-	 		1
C4	Generator or alternator					C18	Red amber signals -	rear		 		+
C11	Service door					C18	Turn signal lamps - re			1		
C6	Head lamp indicator					C18	Stop lamps					
C6	Horn					C18	Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes				-	C4	Exhaust system (no l	eaks)		<u> </u>		-
C21	Driver seat belt Steering gear					C5 C7	Fuel tank Tires (2/32" rear - 4/3	32" front min)		1		
C13	Fire extinguisher (5 lbs)					0,	Cleanliness	2 11011(111111.)				
C13	First aid kit					C22	Stop arm					
C13	Body fluids kit					C5	No trailer hitch					
C11	Defroster						Required by forest i	regulation:				
C6	Heaters						Shovel (securely fast					
C20	Wheelchair forward facing (post 1993)	<u> </u>	(0000 F II	. \ +-	****		Axe (securely fastene	,		<u> </u>		
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									arıver.		
	st inspection, this bus is: Approved						einspection, this bus Approved	15:				
	Not Approved						Not Approved					
	eting Patrol Officer:						cting Patrol Officer:					
mapet												
Badge	No	Date				Badge No Date						
Signa	ure of District Official					Date			_			
						1						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correct	ted.	0 . 0	,						. ооро	0100 2)		
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
	Please make corrections noted below. Don't black out the error, OPI may n							ection.					
OPI C	County # and County Name					Distri	ct Name						
	34 Park						Shio	lde Valle	w Dub 9	Schle			
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen		lds Valle	Rated C	Capacity	, ****		
	, ,								. 10100	чараспу			
1GBL7T1J4TJ104396 1996						BUS7	Puo Typo	e: (see ? fo	or dofini	47			
Chassis Make Body Mal					æ		, ,	`					
	Chevrolet						ebird	\square A	□В	✓ C	∐ D		
Whee	el Chair Lift Equipped?	Whee	el Chair	Lift E	quipped?	1							
□ Ye	es 🗹 No	□F	orward	l Fa	cing [☐ Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	is:	Distri	ct Owned	✓ C	ontractor Owned If co	ontractor ov	vned, cont	tractor's	name	is:	
\Box G	as ☑ Diesel ☐ Other						Shield's Valley	, Rusina					
					INCDE	CTION	Officia 5 valley	Dusing					
		то	BE FIL	LED		CTION THE HI	GHWAY PATROL						
	This	inspecti				t semes		ster					
		-	Appro	oved							Арр	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						-
C18	Turn signal lamps - side (post 1987)					C14	Floor Aisle						
C18	Red amber signals - front Marker lamps - front					C9 C22	Tools - storage					1	
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device					1	
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door					1	†
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn						Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					1
C21	Driver seat belt Steering gear					C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front mir	2.)			1	1
C13	Fire extinguisher (5 lbs)					C/	Cleanliness	2 11011111111	1.)				1
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge		Date				Badge No. Date							
Signa	ture of District Official					Date							
											TR-1	3 Revise	ed 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
	County # and County Name	JIACK OC	it the er	101, 01	Tillay III		ct Name	ection.					
	24 Bark						Shio	ılda Valla	v Dub (Sable			
34 Park Vehicle I.D. # (VIN) - Entire Number Model Year			Shields Valley Pub SchIs License # Rated Capacity *****										
	, ,												
Chan	1GDJ6P1GXHV531479			198		BUS2 64 Re Bus Type: (see ? for definition)							
GMC Ward □ A □ B ☑ C □ D Wheel Chair Lift Equipped? Wheel Chair Lift Equipped?													
Whee	l Chair Lift Equipped?	Whe	el Chair	r Lift E	quipped?	•							
☐ Ye	es 🗹 No	□ F	orwar	d Fac	ing	✓ Aisle Facing □ Not Applicable							
Туре	of Fuel:	Is Bu	ıs:	Distric	ct Owned	Co	ontractor Owned If co	ontractor ow	ned, cont	ractor's	name	is:	
□ G:	as 🗹 Diesel 🗌 Other						Shield's Valley	, Rusina					
					INCDE	CTION	Officia 3 valicy	y Dusnig					
		TC	BE FII	LLED (GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ster 🗸 2nd seme	ster					
r		1		oved			-			T	- ' '	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front						Belt cutter **** attach		πα			+	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating					<u> </u>	
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle					+	
C18	Marker lamps - front					C22	Tools - storage					+	
C18	Windshield					C24	Windows					†	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency d	oor				<u> </u>	
C3 C4	Battery Generator or alternator					C12 Emergency door			+				
C11	Service door					C18 Red amber signals - rear C18 Turn signal lamps - rear		+					
C6	Head lamp indicator					C18 Stop lamps							
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***					<u> </u>	
C6 C2	Speedometer				-	C17	Identification - rear Exhaust system (no I	aalta)				+	
C21	Brakes Driver seat belt					C5	Fuel tank	eaks)				+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	ı.)			†	
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit Defroster	-				C5	No trailer hitch Required by forest i	roquiotioni				-	
C6	Heaters						Shovel (securely fast					+	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					1	
*Page nu	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/shoul	der belts - cut			driver.	- <u>-</u> -	
			"6		,			_					
	st inspection, this bus is: Approved						einspection, this bus Approved	13.					
	Not Approved						Not Approved						
Inspecting Patrol Officer:			Inspecting Patrol Officer:										
· •				Badge No. Date									
Signature of District Official				Date									
J.g.,u.													



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Shields Valley Pub Schls** 34 Park Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 4UZAAXAK43CL64141 2003 **US12** Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D Freightliner **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Sheilds Valley Busing INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:	On reinspection, this bus is:
Approved	Approved
Not Approved	☐ Not Approved
Inspecting Patrol Officer:	Inspecting Patrol Officer:
Badge No. Date	Badge No. Date
Dadge No.	Date No.
Signature of District Official	Date



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Shields Valley Pub Schls** 34 Park Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **4UZAAXDC45CN93622** 0000 2005 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Freightliner **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Shield's Valley Busing** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.